


5/3



RAW SEQUENCE LISTING **ERROR REPORT**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/998,155A
Source: 1655
Date Processed by STIC: 3/5/2002

RECEIVED

MAR 19 2002

TECH CENTER 1600/2900

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax)

PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER**
VERSION 3.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND
TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
3. Hand Carry directly to:
U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
Or
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002



1655

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/998,155A

DATE: 03/05/2002

TIME: 10:31:07

Input Set : A:\PTO.VSK.txt

Output Set: N:\CRF3\03052002\I998155A.raw

Does Not Comply
Corrected Diskette Needed

1 <110> APPLICANT: Erikson, Glen<120> AMPEROMETRIC
W--> 2 <130> FILE REFERENCE:
W--> 0 <120> TITLE INVENTION:
W--> 3 <140> CURRENT APPLICATION NUMBER: 09/998,155<141> 2001-11-29<150> US 09/911,047<151>
2001-07-A
C--> 4 <141> CURRENT FILING DATE: 2001-11-29
4 <150> PRIOR APPLICATION NUMBER: US Pat No. 6,265,170 <151> 2000-01-24<160> 3 <170>
PatentIn

ERRORED SEQUENCES

see next page

RECEIVED

MAR 19 2002

TECH CENTER 1600/2900

09/998,155A

SEQUENCE LISTING<110> Erikson, Glen<120> AMPEROMETRIC
AFFINITY ASSAY AND ELECTRICALLY STIMULATED COMPLEXES OF NUCLEIC ACIDS<130>
E1047/20043<140> 09/998,155<141> 2001-11-29<150> US 09/911,047<151> 2001-07-
23<150> US Pat No. 6,265,170 <151> 2000-01-24<160> 3 <170> PatentIn
version 3.0<210> 1<211> 15<212> DNA<213> Artificial<220><223> derived from
exon 10 of the human cystic fibrosis gene

*(sample of submitted file)
major format errors*

*please contact Robert Wax at 703-306-4119 or
703-308-4216
for assistance*

RECEIVED

MAR 19 2002

TECH CENTER 1600/2900